

CD172a blocking peptide

Blocking peptide binds specifically to the target antibody and block undesirable antibody binding. This occurs because the peptide resembles the epitope for which the antibody is specific, therefore, the antibody binds to the blocking peptide are no longer able to bind to the epitope in the protein.

Pre-adsorption with blocking peptide greatly improves the results and it is extremely useful in immunohistochemistry (IHC) or in Western blotting (immunobloting) when non-specific binding is an issue.

This peptide is recommended to block anti-CD172a Antibody (Catalog no. 4072871) reactivity

Directions for Use: Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to antibody) and incubate the mixture at 4°C for overnight or at room temperature for 2 hours

Catalog No.	5072871
Size	1mg
Product Category	Blocking Peptide
Gene Symbol	SIRPA
UniProt ID	P78324
Purity	>85%

Synonyms	BIT; MFR; MYD1; PTPNS1; SHPS1; SIRP; Tyrosine-protein phosphatase
	non-receptor type substrate 1; SHP substrate 1; SHPS-1; Brain Ig-like
	molecule with tyrosine-based activation motifs; Bit; CD172 antigen-like
	family member A; Inhibitory receptor SHPS-1; Macrophage fusion
	receptor; MyD-1 antigen; Signal-regulatory protein alpha-1; Sirp-alpha-1;
	Signal-regulatory protein alpha-2; Sirp-alpha-2; Signal-regulatory protein
	alpha-3; Sirp-alpha-3; p84; CD172a
Storage/Stability	-20°C/1 year
Storage/Stability	20 C/I year
Shipping	Gel Packs

www.realgenelabs.com

For Research Use only